

Saranah[®]
Paris

1 Rue Bosio
75016 PARIS
Tel. : 01 40 50 12 05 FAX : 01.75.43.42.27

**CLINICAL TEST OF
TIME STOP FACE CREAM NORMAL SKIN - DAY
TIME STOP FACE CREAM NORMAL SKIN - NIGHT
from QAREL Ltd – Savyon - ISRAEL**

**SURVEY CONDUCTED AT THE SARANAH INSTITUTE – 1, rue de Bosio, 75016 Paris
ON 18 WOMEN, AGE 30+
MAY - JULY 2008**

UNDER THE SUPERVISION OF DOCTOR CATHERINE SMADJA

.....

PROCEDURE: 1 application of **TIME STOP FACE CREAM NORMAL SKIN - DAY**, in the morning, on cleaned skin, before make-up.

1 application of **TIME STOP FACE CREAM NORMAL SKIN - NIGHT**, at bedtime, on cleansed skin, after make-up removal.

No other cream was authorized.

METHOD: Evaluation at the start + weekly observation during 1 month and questionnaire.

RESULTS AFTER 4 WEEKS:

- Skin smoothness: outstanding improvement from the 1st week.
- Skin glow: noticeable improvement from the 1st week and 80% from the 2nd week.
- Feeling of comfort doubled from the 1st week.
- Tonicity noticeably improved from the 3rd week.
- Strong reduction of wrinkles' deepness from the 3rd week.
- No increase of the wrinkles amount.
- Better uniform complexion.
- 8 women on 10 notice an improvement.
- No allergic reactions were noticed.

- No desquamation.
- Erythrose of 2 patients improved from the 2nd week.
- Couperose of 2 patients improved from the 3rd week.

Saranah - Paris

TIME STOP FACE CREAM NORMAL SKIN Average Results on 18 women, Age 30+ OBSERVATION MAY-JULY 2008 – Dr Catherine Smadja

I- Product tolerance - dermatology	Evaluation at the start	<i>Week I</i>	<i>Week II</i>	<i>Week III</i>	<i>Week IV</i>
Erythema	0	0	0	0	0
Itching	0	0	0	0	0
Microvascularisation (érythrose)	0.53	0.53	0.44	0.44	0.44
Microvascularisation (couperose)	0.20	0.20	0.20	0.18	0.15


II - Aspect of the derm - clinical touch	Evaluation at the start	<i>Week I</i>	<i>Week II</i>	<i>Week III</i>	<i>Week IV</i>
Flexibility (1= stiff 5=supple)	1.81	2.50	3.82	4.24	4.24
Smoothness (1=harsh 5=smooth)	1.62	2.66	3.87	4.84	4.88
Moisturization (1=dry 5=hydrated)	2.48	3.82	3.91	4.27	4.54

III - Aspect of the derm - clinical observation on 5 areas*	Evaluation at the start	<i>Week I</i>	<i>Week II</i>	<i>Week III</i>	<i>Week IV</i>
Average deepness of the wrinkles (1= mildly deep 5= very deep)	4.22	4.22	4.22	3.91	3.27
wrinkles count (1= few 5= very wrinkled)	4.71	4.71	4.71	4.71	4.71
Complexion (0= dark 5= clear)	3.63	3.74	3.77	3.82	3.83

*mouth contour, eye contour, nose, cheeks, forehead

IV - Aspect of the derm - subjective analysis (patient's self evaluation)	Evaluation at the start	<i>Week I</i>	<i>Week II</i>	<i>Week III</i>	<i>Week IV</i>
Skin glow (1= dull 5=bright)	1.73	2.18	3.91	4.72	4.84

IV - Aspect of the derm - subjective analysis (patient's self evaluation)	Evaluation at the start	Week I	Week II	Week III	Week IV
Skin smoothness (1= harsh 5=smooth)	1.63	3.20	3.98	4.20	4.80
Comfort sensation (1= shrinking 5= suppleness)	2.22	4.82	4.95	4.95	4.97
Toning (1= loose 5=firm)	1.60	2.78	3.56	4.24	4.2



Ms SylvieKaplan
Saranah Institute
Manager

Ms Catherine Smadja
MD Dermatologist
48, quai de Jemmapes
75010 Paris - France